


VIBE CBD - SMACK'D 500mg PANIC BLOCKER

Batch ID:	EV-9967	Test ID:	3420667.0036
Reported:	28-Jan-2020	Method:	TM14
Type:	Unit		
Test:	Potency		

CANNABINOID PROFILE


CBD	1.92%
CBDa	0.00%
delta 9 THC	0.00%
THCa	0.00%

Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	2.09	0.00	0.0
Delta 9-Tetrahydrocannabinol (Delta 9THC)	1.04	0.00	0.0
Cannabidiolic acid (CBDA)	2.54	0.00	0.0
Cannabidiol (CBD)	1.42	576.40	19.2
Delta 8-Tetrahydrocannabinol (Delta 8THC)	1.14	0.00	0.0
Cannabinolic Acid (CBNA)	2.86	0.00	0.0
Cannabinol (CBN)	1.27	2.20	0.1
Cannabigerolic acid (CBGA)	1.82	0.00	0.0
Cannabigerol (CBG)	1.03	1.80	0.1
Tetrahydrocannabivarinic Acid (THCVA)	1.79	0.00	0.0
Tetrahydrocannabivarin (THCV)	0.93	0.00	0.0
Cannabidivarinic Acid (CBDVA)	2.36	0.00	0.0
Cannabidivarin (CBDV)	1.29	2.30	0.1
Cannabichromenic Acid (CBCA)	1.57	0.00	0.0
Cannabichromene (CBC)	1.89	3.90	0.1
Total Cannabinoids		586.60	19.55
Total Potential THC**		0.00	0.00
Total Potential CBD**		576.40	19.21

NOTES:

of Servings = 1, Sample Weight=30g


An Interfering peak was detected near CBD which may impact the accuracy of CBD

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

Total THC = THC + (THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877))

FINAL APPROVAL


Ryan Weems
28-Jan-2020
3:20 PM

PREPARED BY / DATE



Greg Zimpfer
28-Jan-2020
9:23 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02